

MATERIAL SAFETY DATA SHEET

Total Solutions
P.O. Box 240014
Milwaukee, WI 53224



GENERAL INFORMATION NUMBER: (414) 354-6417
CHEMTREC: (800) 424-9300

REVISION DATE: November 7, 2004
DATE OF ISSUE: November 9, 2004

I - Product Identification

Chisel

CHEMICAL FORMULATION: Water based alkaline detergent/cleaner.

NFPA HAZARD IDENTIFICATION SYSTEM: **HEALTH:** 2 **FLAMMABILITY:** 0 **REACTIVITY:** 0
HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - Hazardous Ingredients

Values reported as TWA unless noted.

| <u>SUBSTANCE</u> | <u>APPROX</u> <u>%</u> | <u>OSHA</u> <u>PEL</u> | <u>ACGIH</u> <u>TLV</u> | <u>EPA 40 CFR:</u> | | | <u>CAS #</u> |
|--------------------------------------|---------------------------|---------------------------|----------------------------|--------------------|------------|------------|--------------|
| | | | | <u>302</u> | <u>355</u> | <u>372</u> | |
| 2-Butoxyethanol | 5.00-15.0 | 25 ppm (skin) | 25 ppm (skin) | N | N | Y | 111-76-2 |
| Monoethanolamine | 1.00-5.00 | 3 ppm | 3 ppm | N | N | N | 141-43-5 |
| Cocodiethanolamide | 1.00-3.00 | N/E | N/E | N | N | N | 120-40-1 |
| Potassium Hydroxide | 1.00-5.00 | 2 mg/m ³ | 2 mg/m ³ | Y | N | N | 1310-58-3 |
| Sodium Metasilicate | 1.00-3.00 | N/E | N/E | N | N | N | 6834-92-0 |
| Sodium Tripolyphosphate | 1.00-3.00 | N/E | N/E | Y | N | N | 7758-29-4 |
| Ethoxylated Alcohols Phosphate Ester | < 2.00 | N/E | N/E | N | N | N | 68130-47-2 |

Key: **PEL:** Permissible Exposure Limit **TLV:** Threshold Limit Value **C:** Ceiling level **STEL:** Short Term Exposure Limit
N/A: Not Applicable **N/D:** Not Determined **N/E:** Not Established **Y:** Yes **N:** No

302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).

355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).

372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - Physical Data

BOILING POINT (°F): N/D

SPECIFIC GRAVITY (WATER = 1): 1.05

VAPOR PRESSURE (mm Hg): N/D

VOC CONTENT (% by weight): N/D

VAPOR DENSITY (AIR = 1): N/D

EVAPORATION RATE (WATER = 1): N/D

SOLUBILITY IN WATER: Soluble

pH: 12.75-13.75

APPEARANCE AND ODOR: Clear, slight yellow liquid; detergent odor.

IV - Fire and Explosion Hazard Data

FLASH POINT (°F): None

(TEST METHOD): Closed cup

FLAMMABLE LIMITS IN AIR (VOLUME %)

UPPER: N/A

LOWER: N/A

EXTINGUISHING MEDIA: Water, foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Cool drums in vicinity of fire with water fog. Firefighters should be equipped with full protective gear including self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARD: None.

PRODUCT NAME: Chisel

V - Reactivity Data

STABILITY: Stable

INCOMPATIBILITY: Strong acids.

CONDITIONS TO AVOID: None

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of carbon.

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None

VI - Health Hazard Data

ROUTES OF ENTRY **INHALATION:** X **EYE CONTACT:** X **SKIN CONTACT:** X **INGESTION:** X

INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS: None.

EFFECTS OF OVEREXPOSURE

IF IN EYES: Moderate to severe irritation and redness. May cause permanent damage to cornea depending on length of exposure and concentration of product.

IF ON SKIN: Severe irritation and burns, destruction of tissue.

IF SWALLOWED: Danger-May be harmful or fatal if swallowed. Severe burns to mucous membranes.

IF INHALED: Irritation of respiratory tract, headache, dizziness.

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. Obtain medical attention.

IF ON SKIN: Flush skin for 15 minutes with water while removing contaminated clothing. Obtain medical attention if irritation persists. Launder clothing separately before re-use.

IF SWALLOWED: Contact physician or poison control center immediately. Rinse mouth with water and give affected person one to two glasses of water. Do not induce vomiting unless instructed by a poison control center or doctor. Never give anything by mouth to an unconscious person.

IF INHALED: Remove person to fresh air. If breathing stops, administer artificial respiration. If breathing is difficult, give oxygen.

VII - Spill or Leak Protection

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Ventilate area. Contain spill. Soak up on inert absorbent material and place in a properly labeled closed container for disposal.

WASTE DISPOSAL METHOD: Consult local environmental authorities.

VIII - Special Protection Information

RESPIRATORY PROTECTION: Use with adequate ventilation. Do not breathe vapors or mists. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.

VENTILATION

LOCAL: Recommended

MECHANICAL: Not required

PROTECTIVE GLOVES: Chemical resistant.

EYE PROTECTION: Safety glasses or chemical goggles.

OTHER PROTECTIVE EQUIPMENT: Protective clothing. Eye wash station.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool, dry place away from acids. Never add water to this product, always add this product to water. Do not mix with other cleaning chemicals. Keep container tightly closed when not in use.

OTHER PRECAUTIONS: Keep out of reach of children.

IX - Transportation Information (ground transportation only)

DOT PROPER SHIPPING NAME: Compounds, cleaning liquid (potassium hydroxide)

DOT CLASS: 8

DOT ID NUMBER: NA1760

DOT PACKING GROUP: III

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

REVISION DATE: November 7, 2004

Prepared by: PMR

DATE OF ISSUE: November 9, 2004

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Total Solutions assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.